


Flow Panel

-Specifications-



Creativity, Collaboration, Information

A large framless writing wall with Radius corners. The edges are sealed in black. The Laser edge finishing allows for panels to almost seamlessly connect to each other. The enamel steel surface offers a lifetime warranty for perfect writing and erasing.



Technical

- | | |
|------------------|--|
| Characteristics: | <ul style="list-style-type: none"> • Magnetic and dry erasable • Suitable for very intensive use |
|------------------|--|

Depth:	10 mm
--------	-------

Mounting:	Magnetic mounting system
-----------	--------------------------

Warranty:	Lifetime
-----------	----------


Surface warranty:	Lifetime on wiring and dry erasing
-------------------	------------------------------------



Construction

Whiteboard panel

1. Surface:	Ceramic steel of 0.4 mm (Indoor Air Quality Certified to SCS-EC10.3-2014 v4.0)
2. Carrier:	MDF 6 mm (FSC Mix Credit)
3. Backing:	0,4 mm galvanised steel sheet
4. Finishing:	Black Painted Gloss Edges



Magnetic mounting plate

5. Magnetic sheet:	Anisotropic magnet, 1,6 mm thick
6. Adhesive layer:	Polyurethane
7. Mounting plate:	13mm Compact Laminate (we use our compact laminate offcuts as backing plates to keep them out of landfill)

